














- c. Rapid triage symptomatic patients in designated areas (negative pressure if available)
- d. Immediate placement in isolation precautions (standard, contact, airborne, and use eye protection, e.g. goggles or a face shield (i.e. droplet precautions))
- e. Strict adherence to hand hygiene guidelines by healthcare workers
- f. Proper environmental hygiene with use of EPA-registered disinfectants that have micro biocidal (i.e., killing) activity against the pathogens most likely to contaminate the patient-care environment (in this case enveloped viruses). Use in accordance with manufacturer’s instructions

Since no disinfectant efficacy test is currently available for 2019-nCoV, Diversey recommends disinfectants susceptible to the human coronavirus such as:

Product	Oxivir®1 RTU / Wipes	Oxivir® Tb RTU / Wipes	Oxivir® Five 16	Alpha® HP Multisurface Disinfectant Cleaner	Avert™ Sporidical Disinfectant Cleaner/Wipes	Virex® II 256	Virex® Tb	Virex® Plus	Expose® II 256	MoonBeam®3 UV Disinfection
Contact Time (Min)	1	1	5	5	1	5	3	3	10	3
										
Product	Oxivir® Tb RTU / Wipes	Oxivir® Plus (Concentrate)	Virox® 5 Concentrate	Virox® 5 (RTU & Wipes)	Percept™(TMNC) (Concentrate, RTU & Wipes)	Virex® II 256	Avert™ Disinfectant Cleaner	MoonBeam®3 UV Disinfection		
Contact Time (Min)	1	5	5	5	5	5	1	3		
